FREEDOM DIAGNOSTICS

Certificate of Analysis

FreedomDiagnosticsTesting.com

Admin@FreedomDiagnostics.net



Client:	PEP LABS
Accession #:	2609280002
Search Code:	PEPL2609280002
Received:	9/28/2026
Reported:	9/28/2026
Lot:	0001

Sample Summary


Product:	KLOW 80mg	**Purity:**	99.77%
Identity:	Confirmed	**Net Content:**	GHK-Cu – 51.61 mg KPV – 9.54 mg TB-500 – 5.51 mg BPC-157 – 10.88 mg
Appearance:	Blue Lyophilized Powder		
Elemental Impurities (ICP-MS): **As | Cd | Pb | Hg**	**Pass**		

Analytical Results


Test	Result
Identity (LC-MS)	GHK-Cu/KPV/TB-500/BPC-157
Purity (HPLC-UV)	99.77%
Net Content	GHK-Cu – 51.61 mg KPV – 9.54 mg TB-500 – 5.51 mg BPC-157 – 10.88 mg
Elemental Impurities (ICP-MS)	Pass — Arsenic, Cadmium, Lead, and Mercury below reporting/specification limits

Method: Identity confirmed by LC-MS. Purity evaluated by HPLC-UV. Elemental impurities evaluated by ICP-MS.

Chromatogram



Mass Confirmation



Principal Chemist

FreedomDiagnosticsTesting.com

Admin@FreedomDiagnostics.net

Proudly Owned and Operated in the USA

The peptide purity analysis reported here was conducted using LCMS/MS under standard laboratory conditions. This analysis is intended for informational purposes only and is specific to the sample (s) provided. The peptides tested are intended for research use only and are not approved for human or veterinary use, diagnostic, therapeutic, or clinical applications. Results should be interpreted by qualified professionals within the scope of the intended research. The accuracy and reliability of the test may be influenced by sample integrity, handling, and other experimental variables. Elemental impurity screening includes arsenic, cadmium, lead, and mercury only and does not represent a full elemental impurity panel unless otherwise stated.